In the Claims:

- 1-5 (Cancelled)
- 6-15 (Cancelled)
- 16. (Cancelled)
- 17. (Currently Amended) An expression system comprising:
 - a an isolated recombinant host cell comprising:
 - a first expressible recombinant polynucleotide which encodes a core 1 β3-galactosyl transferase which requires coexpression of a core 1 β3-galactosyl transferase specific molecular chaperone for configuring the core 1 β3-galactosyl transferase in an active form; and
 - a second expressible <u>recombinant</u> polynucleotide which encodes a <u>the</u> core 1 β 3-galactosyl transferase specific molecular chaperone for expressing an <u>the</u> active <u>form</u> of core 1 β 3-galactosyl transferase, wherein the second expressible <u>recombinant</u> polynucleotide comprises:
 - (A) a polynucleotide having the sequence SEQ ID NO.: 2;
 - (B) a polynucleotide which hybridizes with the polynucleotide having the sequence SEQ ID NO: 2 under stringency conditions comprising prehybridization and hybridization at 68°C followed by washing twice with

two $0.1 \times SSC$, 0.1% SDS for 20 minutes at 22°C, and washing twice with $0.2 \times 0.1 \times SSC$, 0.1% SDS for 20 minutes at $0.2\% \times 0.1 \times SSC$, 0.1% SDS for 20 minutes at $0.2\% \times 0.1 \times SSC$, or prehybridization and hybridization at 42°C in 5 x SSPE, $0.3\% \times SDS$, 200 ug/ml sheared and denatured salmon sperm DNA, and $0.25\% \times 0.2\% \times 0.$

- (C) a polynucleotide which differs in nucleotide sequence from the polynucleotide of (A) due to the degeneracy of the genetic code and which encodes a protein having core 1 β3 galactosyl transferase specific molecular chaperone activity; or
- (D) a polynucleotide which differs in nucleotide sequence from the polynucleotides of (A), (B) or (C) in that said polynucleotide lacks a nucleotide sequence which encodes a transmembrane domain wherein the encoded core 1 β3 galactosyl transferase specific molecular chaperone is soluble.

18. (Currently Amended) The expression system of claim 17 wherein the second expressible <u>recombinent</u> polynucleotide comprises the sequence of SEQ ID NO: 2.

19-20. (Cancelled)

- 21. (Cancelled)
- 22. (Cancelled)
- 23. (Cancelled)
- 24. (Currently Amended) The expression system of claim 17 wherein the first expressible <u>recombinant</u> polynucleotide and the second expressible <u>recombinant</u> polynucleotide are operatively associated with an expression control sequence.
- 25. (Previously Presented) The expression system of claim 17 wherein the recombinant host cell further comprises an expressible polynucleotide encoding a peptide or polypeptide requiring post-translational glycosylation to form a core 1 structure.
- 26. (Previously Presented) The expression system of claim 25 wherein the peptide or polypeptide requiring post-translational glycosylation to form a

core 1 structure comprises P-selectin glycoprotein ligand-1 or a portion thereof which has P-selectin binding activity.